


- ¹ From a fit to $J^P = 2^+ \rho\pi$ partial wave.
² From analysis of L3 data at 183–209 GeV.



$K\bar{K}$ MODE

VALUE (MeV) EVTS DOCUMENT ID TECN CHG COMMENT

The data in this block is included in the average printed for a previous datablock.

1318.1 ± 0.7 OUR AVERAGE

1319 ± 5	4700	^{3,4} CLELAND	82B	SPEC	+	50 $\pi^+ p \rightarrow K_S^0 K^+ p$
1324 ± 6	5200	^{3,4} CLELAND	82B	SPEC	-	50 $\pi^- p \rightarrow K_S^0 K^- p$
1320 ± 2	4000	CHABAUD	80	SPEC	-	17 $\pi^- A \rightarrow K_S^0 K^- A$
1312 ± 4	11000	CHABAUD	78	SPEC	-	9.8 $\pi^- p \rightarrow K^- K_S^0 p$
1316 ± 2	4730	CHABAUD	78	SPEC	-	18.8 $\pi^- p \rightarrow K^- K_S^0 p$
1318 ± 1		^{3,5} MARTIN	78D	SPEC	-	10 $\pi^- p \rightarrow K_S^0 K^- p$
1320 ± 2	2724	MARGULIE	76	SPEC	-	23 $\pi^- p \rightarrow K^- K_S^0 p$
1313 ± 4	730	FOLEY	72	CNTR	-	20.3 $\pi^- p \rightarrow K^- K_S^0 p$
1319 ± 3	1500	⁵ GRAYER	71	ASPK	-	17.2 $\pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1304 ± 10	870	⁶ SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
1330 ± 11	1000	^{3,4} CLELAND	82B	SPEC	+	30 $\pi^+ p \rightarrow K_S^0 K^+ p$
1324 ± 5	350	HYAMS	78	ASPK	+	12.7 $\pi^+ p \rightarrow K^+ K_S^0 p$

- ³ From a fit to $J^P = 2^+$ partial wave.
⁴ Number of events evaluated by us.
⁵ Systematic error in mass scale subtracted.
⁶ From analysis of L3 data at 91 and 183–209 GeV.

$\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

1317.7±1.4 OUR AVERAGE

1308 ±9		BARBERIS	00H		450 $p p \rightarrow p_f \eta \pi^0 p_s$
1316 ±9		BARBERIS	00H		450 $p p \rightarrow \Delta_f^{++} \eta \pi^- p_s$
1317 ±1 ±2		THOMPSON	97 MPS		18 $\pi^- p \rightarrow \eta \pi^- p$
1315 ±5 ±2		⁷ AMSLER	94D CBAR		0.0 $\bar{p} p \rightarrow \pi^0 \pi^0 \eta$
1325.1±5.1		AOYAGI	93 BKEI		$\pi^- p \rightarrow \eta \pi^- p$
1317.7±1.4±2.0		BELADIDZE	93 VES		37 $\pi^- N \rightarrow \eta \pi^- N$
1323 ±8	1000	⁸ KEY	73 OSPK	-	6 $\pi^- p \rightarrow p \pi^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1324 ±5		ARMSTRONG	93C E760	0	$\bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1336.2±1.7	2561	DELFOSSÉ	81 SPEC	+	$\pi^\pm p \rightarrow p \pi^\pm \eta$
1330.7±2.4	1653	DELFOSSÉ	81 SPEC	-	$\pi^\pm p \rightarrow p \pi^\pm \eta$
1324 ±8	6200	^{8,9} CONFORTO	73 OSPK	-	6 $\pi^- p \rightarrow p \pi^- \eta$

⁷ The systematic error of 2 MeV corresponds to the spread of solutions.

⁸ Error includes 5 MeV systematic mass-scale error.

⁹ Missing mass with enriched MMS = $\eta \pi^-$, $\eta = 2\gamma$.

$\eta' \pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

The data in this block is included in the average printed for a previous datablock.

1322 ± 7 OUR AVERAGE

1318 ± 8 $\begin{smallmatrix} +3 \\ -5 \end{smallmatrix}$		IVANOV	01 B852		18 $\pi^- p \rightarrow \eta' \pi^- p$
1327.0±10.7		BELADIDZE	93 VES		37 $\pi^- N \rightarrow \eta' \pi^- N$

$a_2(1320)$ WIDTH

3 π MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

104.7± 1.9 OUR AVERAGE

108 ± 3 ±15		CHUNG	02 B852		18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
120 ±10		BARBERIS	98B		450 $p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
105 ±10 ±11		ACCIARRI	97T L3		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
120 ±10		ALBRECHT	97B ARG		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
103.0± 6.0± 3.3	72.4k	AMELIN	96 VES		36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
120 ±10		ARMSTRONG	90 OMEG 0		300.0 $p p \rightarrow p p \pi^+ \pi^- \pi^0$
107.0± 9.7	4022	AUGUSTIN	89 DM2	±	$J/\psi \rightarrow \rho^\pm a_2^\mp$
118.5±12.5	3562	AUGUSTIN	89 DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
97 ± 5		¹⁰ EVANGELIS...	81 OMEG	-	12 $\pi^- p \rightarrow 3\pi p$

96 ± 9	25k	¹⁰ DAUM	80C	SPEC	−	63,94	$\pi^- p \rightarrow 3\pi p$
110 ± 15	1097	¹⁰ BALTAY	78B	HBC	+0	15	$\pi^+ p \rightarrow p4\pi$
112 ± 18	1.6k	¹⁰ EMMS	75	DBC	0	4	$\pi^+ n \rightarrow p(3\pi)^0$
122 ± 14	1.2k	^{10,11} WAGNER	75	HBC	0	7	$\pi^+ p \rightarrow \Delta^{++}(3\pi)^0$
115 ± 15		¹⁰ ANTIPOV	73C	CNTR	−	25,40	$\pi^- p \rightarrow p\eta\pi^-$

99 ± 15	1580	CHALOUPKA	73	HBC	−	3.9	$\pi^- p$
105 ± 5	28k	BOWEN	71	MMS	−	5	$\pi^- p$
99 ± 5	24k	BOWEN	71	MMS	+	5	$\pi^+ p$
103 ± 5	17k	BOWEN	71	MMS	−	7	$\pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

117 ± 6 ± 20	18k	¹² SCHEGELSKY	06	RVUE	0	$\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$	
120 ± 40		CONDO	93	SHF		$\gamma p \rightarrow \eta\pi^+\pi^+\pi^-$	
115 ± 14	490	BALTAY	78B	HBC	0	15	$\pi^+ p \rightarrow \Delta 3\pi$
72 ± 16	5k	BINNIE	71	MMS	−		$\pi^- p$ near a_2 thresh- old
79 ± 12	941	ALSTON-...	70	HBC	+	7.0	$\pi^+ p \rightarrow 3\pi p$

¹⁰ From a fit to $J^P = 2^+ \rho\pi$ partial wave.

¹¹ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

¹² From analysis of L3 data at 183–209 GeV.

$K\bar{K}$ AND $\eta\pi$ MODES

VALUE (MeV) DOCUMENT ID

107 ± 5 OUR ESTIMATE

110.4 ± 1.7 OUR AVERAGE Includes data from the 2 datablocks that follow this one.

$K\bar{K}$ MODE

VALUE (MeV) EVTS DOCUMENT ID TECN CHG COMMENT

The data in this block is included in the average printed for a previous datablock.

109.8 ± 2.4 OUR AVERAGE

112 ± 20	4700	^{13,14} CLELAND	82B	SPEC	+	50	$\pi^+ p \rightarrow K_S^0 K^+ p$
120 ± 25	5200	^{13,14} CLELAND	82B	SPEC	−	50	$\pi^- p \rightarrow K_S^0 K^- p$
106 ± 4	4000	CHABAUD	80	SPEC	−	17	$\pi^- A \rightarrow K_S^0 K^- A$
126 ± 11	11000	CHABAUD	78	SPEC	−	9.8	$\pi^- p \rightarrow K^- K_S^0 p$
101 ± 8	4730	CHABAUD	78	SPEC	−	18.8	$\pi^- p \rightarrow K^- K_S^0 p$
113 ± 4		^{13,15} MARTIN	78D	SPEC	−	10	$\pi^- p \rightarrow K_S^0 K^- p$
105 ± 8	2724	¹⁵ MARGULIE	76	SPEC	−	23	$\pi^- p \rightarrow K^- K_S^0 p$
113 ± 19	730	FOLEY	72	CNTR	−	20.3	$\pi^- p \rightarrow K^- K_S^0 p$
123 ± 13	1500	¹⁵ GRAYER	71	ASPK	−	17.2	$\pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

120 ± 15	870	¹⁶ SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$	
121 ± 51	1000	^{13,14} CLELAND	82B	SPEC	+	30	$\pi^+ p \rightarrow K_S^0 K^+ p$
110 ± 18	350	HYAMS	78	ASPK	+	12.7	$\pi^+ p \rightarrow K^+ K_S^0 p$

¹³ From a fit to $J^P = 2^+$ partial wave.

¹⁴ Number of events evaluated by us.

¹⁵ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

¹⁶ From analysis of L3 data at 91 and 183–209 GeV.

$\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

111.1 ± 2.4 OUR AVERAGE

115 ± 20		BARBERIS	00H		450 $p p \rightarrow p_f \eta \pi^0 p_s$
112 ± 14		BARBERIS	00H		450 $p p \rightarrow \Delta_f^{++} \eta \pi^- p_s$
112 ± 3 ± 2		¹⁷ AMSLER	94D	CBAR	0.0 $\bar{p} p \rightarrow \pi^0 \pi^0 \eta$
103 ± 6 ± 3		BELADIDZE	93	VES	37 $\pi^- N \rightarrow \eta \pi^- N$
112.2 ± 5.7	2561	DELFOSSÉ	81	SPEC +	$\pi^\pm p \rightarrow p \pi^\pm \eta$
116.6 ± 7.7	1653	DELFOSSÉ	81	SPEC -	$\pi^\pm p \rightarrow p \pi^\pm \eta$
108 ± 9	1000	KEY	73	OSPK -	6 $\pi^- p \rightarrow p \pi^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

127 ± 2 ± 2		¹⁸ THOMPSON	97	MPS	18 $\pi^- p \rightarrow \eta \pi^- p$
118 ± 10		ARMSTRONG	93C	E760 0	$\bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
104 ± 9	6200	¹⁹ CONFORTO	73	OSPK -	6 $\pi^- p \rightarrow p \pi^- \eta$

¹⁷ The systematic error of 2 MeV corresponds to the spread of solutions.

¹⁸ Resolution is not unfolded.

¹⁹ Missing mass with enriched MMS = $\eta \pi^-$, $\eta = 2\gamma$.

$\eta' \pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

119 ± 25 OUR AVERAGE

140 ± 35 ± 20	IVANOV	01	B852 18 $\pi^- p \rightarrow \eta' \pi^- p$
106 ± 32	BELADIDZE	93	VES 37 $\pi^- N \rightarrow \eta' \pi^- N$

$a_2(1320)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 3π	(70.1 ± 2.7) %	S=1.2
Γ_2 $\rho(770)\pi$		
Γ_3 $f_2(1270)\pi$		
Γ_4 $\rho(1450)\pi$		
Γ_5 $\eta\pi$	(14.5 ± 1.2) %	
Γ_6 $\omega\pi\pi$	(10.6 ± 3.2) %	S=1.3
Γ_7 $K\bar{K}$	(4.9 ± 0.8) %	
Γ_8 $\eta'(958)\pi$	(5.3 ± 0.9) × 10 ⁻³	
Γ_9 $\pi^\pm \gamma$	(2.68 ± 0.31) × 10 ⁻³	
Γ_{10} $\gamma\gamma$	(9.4 ± 0.7) × 10 ⁻⁶	
Γ_{11} $e^+ e^-$	< 6 × 10 ⁻⁹	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2 = 9.3$ for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_5	10			
x_6	-89	-46		
x_7	-1	-2	-24	
	x_1	x_5	x_6	

$a_2(1320)$ PARTIAL WIDTHS

$\Gamma(\eta\pi)$ Γ_5

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

18.5 ± 3.0	870	²⁰ SCHEGELSKY 06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
------------	-----	------------------------------	------	---	--

²⁰ From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.

$\Gamma(K\bar{K})$ Γ_7

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

7.0 ^{+2.0} _{-1.5}	870	²¹ SCHEGELSKY 06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
-------------------------------------	-----	------------------------------	------	---	--

²¹ From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.

$\Gamma(\pi^\pm\gamma)$ Γ_9

VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

287 ± 30 OUR AVERAGE

284 ± 25 ± 25	7100	MOLCHANOV 01	SELX		600 $\pi^- A \rightarrow \pi^+ \pi^- \pi^- A$
295 ± 60		CIHANGIR 82	SPEC	+	200 $\pi^+ A$

• • • We do not use the following data for averages, fits, limits, etc. • • •

461 ± 110		²² MAY	77	SPEC	± 9.7 γA
-----------	--	-------------------	----	------	------------------

²² Assuming one-pion exchange.

$\Gamma(\gamma\gamma)$						Γ_{10}
VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	
1.00±0.06 OUR AVERAGE						
0.98±0.05±0.09		ACCIARRI	97T	L3	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$	
0.96±0.03±0.13		ALBRECHT	97B	ARG	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$	
1.26±0.26±0.18	36	BARU	90	MD1	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$	
1.00±0.07±0.15	415	BEHREND	90C	CELL	0	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.03±0.13±0.21		BUTLER	90	MRK2	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$	
1.01±0.14±0.22	85	OEST	90	JADE	$e^+e^- \rightarrow e^+e^-\pi^0\eta$	
0.90±0.27±0.15	56	²³ ALTHOFF	86	TASS	0	$e^+e^- \rightarrow e^+e^-3\pi$
1.14±0.20±0.26		²⁴ ANTREASYAN	86	CBAL	0	$e^+e^- \rightarrow e^+e^-\pi^0\eta$
1.06±0.18±0.19		BERGER	84C	PLUT	0	$e^+e^- \rightarrow e^+e^-3\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.81±0.19 ^{+0.42} _{-0.11}	35	²³ BEHREND	83B	CELL	0	$e^+e^- \rightarrow e^+e^-3\pi$
0.77±0.18±0.27	22	²⁴ EDWARDS	82F	CBAL	0	$e^+e^- \rightarrow e^+e^-\pi^0\eta$

²³ From $\rho\pi$ decay mode.

²⁴ From $\eta\pi^0$ decay mode.

$\Gamma(e^+e^-)$						Γ_{11}
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT		
< 0.56	90	ACHASOV	00K	SND	$e^+e^- \rightarrow \pi^0\pi^0$	
<25	90	VOROBYEV	88	ND	$e^+e^- \rightarrow \pi^0\eta$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

$a_2(1320) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(3\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$						$\Gamma_1\Gamma_{10}/\Gamma$
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT		
0.65±0.02±0.02	18k	²⁵ SCHEGELSKY	06	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$	

²⁵ From analysis of L3 data at 183–209 GeV.

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$						$\Gamma_7\Gamma_{10}/\Gamma$
VALUE (keV)	DOCUMENT ID	TECN	COMMENT			
0.126±0.007±0.028	²⁶ ALBRECHT	90G	ARG	$e^+e^- \rightarrow e^+e^-K^+K^-$		
0.081±0.006±0.027	²⁷ ALBRECHT	90G	ARG	$e^+e^- \rightarrow e^+e^-K^+K^-$		

• • • We do not use the following data for averages, fits, limits, etc. • • •

²⁶ Using an incoherent background.

²⁷ Using a coherent background.

$a_2(1320)$ BRANCHING RATIOS

$$\frac{[\Gamma(f_2(1270)\pi) + \Gamma(\rho(1450)\pi)]}{\Gamma(\rho(770)\pi)} \qquad \frac{(\Gamma_3 + \Gamma_4)}{\Gamma_2}$$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<0.12	90	ABRAMOVI... 70B	HBC	-	3.93 $\pi^- p$


$$\Gamma(\eta\pi)/\Gamma(3\pi) \qquad \Gamma_5/\Gamma_1$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
0.207±0.018 OUR FIT					
0.213±0.020 OUR AVERAGE					
0.18 ±0.05		FORINO 76	HBC		11 $\pi^- p$
0.22 ±0.05	52	ANTIPOV 73	CNTR	-	40 $\pi^- p$
0.211±0.044	149	CHALOUPKA 73	HBC	-	3.9 $\pi^- p$
0.246±0.042	167	ALSTON-... 71	HBC	+	7.0 $\pi^+ p$
0.25 ±0.09	15	BOECKMANN 70	HBC	+	5.0 $\pi^+ p$
0.23 ±0.08	22	ASCOLI 68	HBC	-	5 $\pi^- p$
0.12 ±0.08		CHUNG 68	HBC	-	3.2 $\pi^- p$
0.22 ±0.09		CONTE 67	HBC	-	11.0 $\pi^- p$

$$\Gamma(\omega\pi\pi)/\Gamma(3\pi) \qquad \Gamma_6/\Gamma_1$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
0.15±0.05 OUR FIT	Error includes scale factor of 1.3.				
0.15±0.05 OUR AVERAGE	Error includes scale factor of 1.3. See the ideogram below.				
0.28±0.09	60	DIAZ 74	DBC	0	6 $\pi^+ n$
0.18±0.08		²⁸ KARSHON 74	HBC		Avg. of above two
0.10±0.05	279	CHALOUPKA 73	HBC	-	3.9 $\pi^- p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
0.29±0.08	140	²⁸ KARSHON 74	HBC	0	4.9 $\pi^+ p$
0.10±0.04	60	²⁸ KARSHON 74	HBC	+	4.9 $\pi^+ p$
0.19±0.08		DEFOIX 73	HBC	0	0.7 $\bar{p} p$

²⁸KARSHON 74 suggest an additional $I = 0$ state strongly coupled to $\omega\pi\pi$ which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.



$\Gamma(K\bar{K})/\Gamma(3\pi)$

Γ_7/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.070±0.012 OUR FIT					
0.078±0.017		CHABAUD	78	RVUE	
•••					We do not use the following data for averages, fits, limits, etc. •••
0.011±0.003		²⁹ BERTIN	98B	OBLX	0.0 $\bar{p}p \rightarrow K^\pm K_S \pi^\mp$
0.056±0.014	50	³⁰ CHALOUPKA	73	HBC	- 3.9 $\pi^- p$
0.097±0.018	113	³⁰ ALSTON-...	71	HBC	+ 7.0 $\pi^+ p$
0.06 ±0.03		³⁰ ABRAMOVI...	70B	HBC	- 3.93 $\pi^- p$
0.054±0.022		³⁰ CHUNG	68	HBC	- 3.2 $\pi^- p$

²⁹ Using 4π data from BERTIN 97D.

³⁰ Included in CHABAUD 78 review.

$\Gamma(K\bar{K})/\Gamma(\eta\pi)$

Γ_7/Γ_5

VALUE	DOCUMENT ID	TECN	COMMENT
•••			We do not use the following data for averages, fits, limits, etc. •••
0.08±0.02	³¹ BERTIN	98B OBLX	0.0 $\bar{p}p \rightarrow K^\pm K_S \pi^\mp$

³¹ Using $\eta\pi\pi$ data from AMSLER 94D.

$\Gamma(\eta\pi)/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$

$\Gamma_5/(\Gamma_1+\Gamma_5+\Gamma_7)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.162±0.012 OUR FIT					
0.140±0.028 OUR AVERAGE					
0.13 ±0.04		ESPIGAT	72	HBC	± 0.0 $\bar{p}p$
0.15 ±0.04	34	BARNHAM	71	HBC	+ 3.7 $\pi^+ p$

$\Gamma(K\bar{K})/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$ $\Gamma_7/(\Gamma_1+\Gamma_5+\Gamma_7)$

VALUE EVTS DOCUMENT ID TECN CHG COMMENT

0.054±0.009 OUR FIT

0.048±0.012 OUR AVERAGE

0.05 ±0.02		TOET	73	HBC	+	5 $\pi^+ p$
0.09 ±0.04		TOET	73	HBC	0	5 $\pi^+ p$
0.03 ±0.02	8	DAMERI	72	HBC	-	11 $\pi^- p$
0.06 ±0.03	17	BARNHAM	71	HBC	+	3.7 $\pi^+ p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.020±0.004		³² ESPIGAT	72	HBC	±	0.0 $\bar{p}p$
-------------	--	-----------------------	----	-----	---	----------------

³²Not averaged because of discrepancy between masses from $K\bar{K}$ and $\rho\pi$ modes.

$\Gamma(\eta'(958)\pi)/\Gamma_{\text{total}}$ Γ_8/Γ

VALUE CL% DOCUMENT ID TECN CHG COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.006	95	ALDE	92B	GAM2		38,100 $\pi^- p \rightarrow \eta' \pi^0 n$
<0.02	97	BARNHAM	71	HBC	+	3.7 $\pi^+ p$
0.004±0.004		BOESEBECK	68	HBC	+	8 $\pi^+ p$

$\Gamma(\eta'(958)\pi)/\Gamma(3\pi)$ Γ_8/Γ_1

VALUE CL% DOCUMENT ID TECN CHG COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.011	90	EISENSTEIN	73	HBC	-	5 $\pi^- p$
<0.04		ALSTON-...	71	HBC	+	7.0 $\pi^+ p$
0.04 $\begin{smallmatrix} +0.03 \\ -0.04 \end{smallmatrix}$		BOECKMANN	70	HBC	0	5.0 $\pi^+ p$

$\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi)$ Γ_8/Γ_5

VALUE DOCUMENT ID TECN COMMENT

0.037±0.006 OUR AVERAGE

0.032±0.009		ABELE	97C	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta'$
0.047±0.010±0.004		³³ BELADIDZE	93	VES	37 $\pi^- N \rightarrow a_2^- N$
0.034±0.008±0.005		BELADIDZE	92	VES	36 $\pi^- C \rightarrow a_2^- C$

³³Using $B(\eta' \rightarrow \pi^+ \pi^- \eta) = 0.441$, $B(\eta \rightarrow \gamma\gamma) = 0.389$ and $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = 0.236$.

$\Gamma(\pi^\pm \gamma)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.005 $\begin{smallmatrix} +0.005 \\ -0.003 \end{smallmatrix}$		³⁴ EISENBERG	72	HBC	4.3,5.25,7.5 γp
--	--	-------------------------	----	-----	-------------------------

³⁴Pion-exchange model used in this estimation.

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (units 10⁻⁹) CL% DOCUMENT ID TECN COMMENT

<6	90	ACHASOV	00K	SND	$e^+ e^- \rightarrow \pi^0 \pi^0$
----	----	---------	-----	-----	-----------------------------------

a₂(1320) REFERENCES

- | | | | | |
|--------------|-----|-----------------------------|--|------------------------------|
| SCHEGELSKY | 06 | EPJ A27 199 | V.A. Schegelsky <i>et al.</i> | |
| SCHEGELSKY | 06A | EPJ A27 207 | V.A. Schegelsky <i>et al.</i> | |
| CHUNG | 02 | PR D65 072001 | S.U. Chung <i>et al.</i> | (BNL E852 Collab.) |
| IVANOV | 01 | PRL 86 3977 | E.I. Ivanov <i>et al.</i> | (BNL E852 Collab.) |
| MOLCHANOV | 01 | PL B521 171 | V.V. Molchanov <i>et al.</i> | (FNAL SELEX Collab.) |
| ACHASOV | 00K | PL B492 8 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| BARBERIS | 00H | PL B488 225 | D. Barberis <i>et al.</i> | (WA 102 Collab.) |
| BARBERIS | 98B | PL B422 399 | D. Barberis <i>et al.</i> | (WA 102 Collab.) |
| BERTIN | 98B | PL B434 180 | A. Bertin <i>et al.</i> | (OBELIX Collab.) |
| ABELE | 97C | PL B404 179 | A. Abele <i>et al.</i> | (Crystal Barrel Collab.) |
| ACCIARRI | 97T | PL B413 147 | M. Acciarri <i>et al.</i> | (L3 Collab.) |
| ALBRECHT | 97B | ZPHY C74 469 | H. Albrecht <i>et al.</i> | (ARGUS Collab.) |
| THOMPSON | 97 | PRL 79 1630 | D.R. Thompson <i>et al.</i> | (BNL E852 Collab.) |
| AMELIN | 96 | ZPHY C70 71 | D.V. Amelin <i>et al.</i> | (SERP, TBIL) |
| AMSLER | 94D | PL B333 277 | C. Amsler <i>et al.</i> | (Crystal Barrel Collab.) |
| AOYAGI | 93 | PL B314 246 | H. Aoyagi <i>et al.</i> | (BKEI Collab.) |
| ARMSTRONG | 93C | PL B307 394 | T.A. Armstrong <i>et al.</i> | (FNAL, FERR, GENO+) |
| BELADIDZE | 93 | PL B313 276 | G.M. Beladidze <i>et al.</i> | (VES Collab.) |
| CONDO | 93 | PR D48 3045 | G.T. Condo <i>et al.</i> | (SLAC Hybrid Collab.) |
| ALDE | 92B | ZPHY C54 549 | D.M. Alde <i>et al.</i> | (SERP, BELG, LANL, LAPP+) |
| BELADIDZE | 92 | ZPHY C54 235 | G.M. Beladidze <i>et al.</i> | (VES Collab.) |
| ALBRECHT | 90G | ZPHY C48 183 | H. Albrecht <i>et al.</i> | (ARGUS Collab.) |
| ARMSTRONG | 90 | ZPHY C48 213 | T.A. Armstrong, M. Benayoun, W. Beusch | |
| BARU | 90 | ZPHY C48 581 | S.E. Baru <i>et al.</i> | (MD-1 Collab.) |
| BEHREND | 90C | ZPHY C46 583 | H.J. Behrend <i>et al.</i> | (CELLO Collab.) |
| BUTLER | 90 | PR D42 1368 | F. Butler <i>et al.</i> | (Mark II Collab.) |
| OEST | 90 | ZPHY C47 343 | T. Oest <i>et al.</i> | (JADE Collab.) |
| AUGUSTIN | 89 | NP B320 1 | J.E. Augustin, G. Cosme | (DM2 Collab.) |
| VOROBYEV | 88 | SJNP 48 273 | P.V. Vorobiev <i>et al.</i> | (NOVO) |
| | | Translated from YAF 48 436. | | |
| ALTHOFF | 86 | ZPHY C31 537 | M. Althoff <i>et al.</i> | (TASSO Collab.) |
| ANTREASIAN | 86 | PR D33 1847 | D. Antreasian <i>et al.</i> | (Crystal Ball Collab.) |
| BERGER | 84C | PL 149B 427 | C. Berger <i>et al.</i> | (PLUTO Collab.) |
| BEHREND | 83B | PL 125B 518 (erratum) | H.J. Behrend <i>et al.</i> | (CELLO Collab.) |
| CIHANGIR | 82 | PL 117B 123 | S. Cihangir <i>et al.</i> | (FNAL, MINN, ROCH) |
| CLELAND | 82B | NP B208 228 | W.E. Cleland <i>et al.</i> | (DURH, GEVA, LAUS+) |
| EDWARDS | 82F | PL 110B 82 | C. Edwards <i>et al.</i> | (CIT, HARV, PRIN+) |
| DELFOSSSE | 81 | NP B183 349 | A. Delfosse <i>et al.</i> | (GEVA, LAUS) |
| EVANGELIS... | 81 | NP B178 197 | C. Evangelista <i>et al.</i> | (BARI, BONN, CERN+) |
| CHABAUD | 80 | NP B175 189 | V. Chabaud <i>et al.</i> | (CERN, MPIM, AMST) |
| DAUM | 80C | PL 89B 276 | C. Daum <i>et al.</i> | (AMST, CERN, CRAC, MPIM+) JP |
| BALTAY | 78B | PR D17 62 | C. Baltay <i>et al.</i> | (COLU, BING) |
| CHABAUD | 78 | NP B145 349 | V. Chabaud <i>et al.</i> | (CERN, MPIM) |
| FERRERSORIA | 78 | PL 74B 287 | A. Ferrer Soria <i>et al.</i> | (ORSAY, CERN, CDEF+) |
| HYAMS | 78 | NP B146 303 | B.D. Hyams <i>et al.</i> | (CERN, MPIM, ATEN) |
| MARTIN | 78D | PL 74B 417 | A.D. Martin <i>et al.</i> | (DURH, GEVA) JP |
| MAY | 77 | PR D16 1983 | E.N. May <i>et al.</i> | (ROCH, CORN) |
| FORINO | 76 | NC 35A 465 | A. Forino <i>et al.</i> | (BGNA, FIRZ, GENO, MILA+) |
| MARGULIE | 76 | PR D14 667 | M. Margulies <i>et al.</i> | (BNL, CUNY) |
| EMMS | 75 | PL 58B 117 | M.J. Emms <i>et al.</i> | (BIRM, DURH, RHEL) JP |
| WAGNER | 75 | PL 58B 201 | F. Wagner, M. Tabak, D.M. Chew | (LBL) JP |
| DIAZ | 74 | PRL 32 260 | J. Diaz <i>et al.</i> | (CASE, CMU) |
| KARSHON | 74 | PRL 32 852 | U. Karshon <i>et al.</i> | (REHO) |
| ANTIPOV | 73 | NP B63 175 | Y.M. Antipov <i>et al.</i> | (CERN, SERP) JP |
| ANTIPOV | 73C | NP B63 153 | Y.M. Antipov <i>et al.</i> | (CERN, SERP) JP |
| CHALOUPKA | 73 | PL 44B 211 | V. Chaloupka <i>et al.</i> | (CERN) |
| CONFORTO | 73 | PL 45B 154 | G. Conforto <i>et al.</i> | (EFI, FNAL, TNTO+) |
| DEFOIX | 73 | PL 43B 141 | C. Defoix <i>et al.</i> | (CDEF) |
| EISENSTEIN | 73 | PR D7 278 | L. Eisenstein <i>et al.</i> | (ILL) |
| KEY | 73 | PRL 30 503 | A.W. Key <i>et al.</i> | (TNTO, EFI, FNAL, WISC) |
| TOET | 73 | NP B63 248 | D.Z. Toet <i>et al.</i> | (NIJM, BONN, DURH, TORI) |
| DAMERI | 72 | NC 9A 1 | M. Dameri <i>et al.</i> | (GENO, MILA, SACL) |
| EISENBERG | 72 | PR D5 15 | Y. Eisenberg <i>et al.</i> | (REHO, SLAC, TELA) |
| ESPIGAT | 72 | NP B36 93 | P. Espigat <i>et al.</i> | (CERN, CDEF) |
| FOLEY | 72 | PR D6 747 | K.J. Foley <i>et al.</i> | (BNL, CUNY) |
| ALSTON-... | 71 | PL 34B 156 | M. Alston-Garnjost <i>et al.</i> | (LRL) |
| BARNHAM | 71 | PRL 26 1494 | K.W.J. Barnham <i>et al.</i> | (LBL) |
| BINNIE | 71 | PL 36B 257 | D.M. Binnie <i>et al.</i> | (LOIC, SHMP) |

BOWEN	71	PRL 26 1663	D.R. Bowen <i>et al.</i>	(NEAS, STON)
GRAYER	71	PL 34B 333	G. Grayer <i>et al.</i>	(CERN, MPIM)
ABRAMOVI...	70B	NP B23 466	M. Abramovich <i>et al.</i>	(CERN) JP
ALSTON-...	70	PL 33B 607	M. Alston-Garnjost <i>et al.</i>	(LRL)
BOECKMANN	70	NP B16 221	K. Boeckmann <i>et al.</i>	(BONN, DURH, NIJM+)
ASCOLI	68	PRL 20 1321	G. Ascoli <i>et al.</i>	(ILL) JP
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(AACH, BERL, CERN)
CHUNG	68	PR 165 1491	S.U. Chung <i>et al.</i>	(LRL)
CONTE	67	NC 51A 175	F. Conte <i>et al.</i>	(GENO, HAMB, MILA, SACL)

OTHER RELATED PAPERS

DZIERBA	06	PR D73 072001	A.R. Dzierba <i>et al.</i>	(BNL E852 Collab.)
ALDE	99B	PAN 62 421	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 62 462.		
JENNI	83	PR D27 1031	P. Jenni <i>et al.</i>	(SLAC, LBL)
BEHREND	82C	PL 114B 378	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
ADERHOLZ	65	PR 138 B897	M. Aderholz	(AACH3, BERL, BIRM, BONN, HAMB+)
ALITTI	65	PL 15 69	J. Alitti <i>et al.</i>	(SACL, BGNA) JP
CHUNG	65	PRL 15 325	S.U. Chung <i>et al.</i>	(LRL)
FORINO	65B	PL 19 68	A. Forino <i>et al.</i>	(BGNA, BARI, FIRZ, ORSAY+)
LEFEBVRES	65	PL 19 434	F. Lefebvres <i>et al.</i>	
SEIDLITZ	65	PRL 15 217	L. Seidlitz, O.I. Dahl, D.H. Miller	(LRL)
ADERHOLZ	64	PL 10 226	M. Aderholz <i>et al.</i>	(AACH3, BERL, BIRM+)
CHUNG	64	PRL 12 621	S.U. Chung <i>et al.</i>	(LRL)
GOLDHABER	64	PRL 12 336	G. Goldhaber <i>et al.</i>	(LRL, UCB)
LANDER	64	PRL 13 346A	R.L. Lander <i>et al.</i>	(UCSD)