

N(1520) *D₁₃**I(J^P) = ½(3⁻) Status: *****

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

N(1520) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1515 to 1525 (≈ 1520) OUR ESTIMATE			
1514.5 ± 0.2	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1524 ± 4	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
1525 ± 10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1519 ± 4	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1520 ± 10	THOMA 08	DPWA	Multichannel
1516.3 ± 0.8	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1509 ± 1	PENNER 02C	DPWA	Multichannel
1518 ± 3	VRANA 00	DPWA	Multichannel
1516 ± 10	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
1515	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
1526 ± 18	BATINIC 95	DPWA	$\pi N \rightarrow N\pi, N\eta$
1510	LI 93	IPWA	$\gamma N \rightarrow \pi N$
1510	¹ LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
1520	² LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

N(1520) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 125 (≈ 115) OUR ESTIMATE			
103.6 ± 0.4	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
124 ± 8	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
120 ± 15	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
114 ± 7	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
125 ± 15	THOMA 08	DPWA	Multichannel
98.6 ± 2.6	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
100 ± 2	PENNER 02C	DPWA	Multichannel
124 ± 4	VRANA 00	DPWA	Multichannel
106 ± 4	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
106	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
143 ± 32	BATINIC 95	DPWA	$\pi N \rightarrow N\pi, N\eta$
120	LI 93	IPWA	$\gamma N \rightarrow \pi N$
110	¹ LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
150	² LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

N(1520) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1505 to 1515 (\approx 1510) OUR ESTIMATE			
1515	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1510	³ HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
1510±5	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1509±7	THOMA 08	DPWA	Multichannel
1514	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1504	VRANA 00	DPWA	Multichannel
1515	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
1511	ARNDT 91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90
1514 or 1511	⁴ LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
1508 or 1505	¹ LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
105 to 120 (\approx 110) OUR ESTIMATE			
113	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
120	³ HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
114±10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
113±12	THOMA 08	DPWA	Multichannel
102	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
112	VRANA 00	DPWA	Multichannel
110	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
108	ARNDT 91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90
146 or 137	⁴ LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
109 or 107	¹ LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$

N(1520) ELASTIC POLE RESIDUE**MODULUS | r |**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
38	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
32	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
35±2	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
35	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
34	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
33	ARNDT 91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

PHASE θ

VALUE (°)	DOCUMENT ID	TECN	COMMENT
- 5	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
- 8	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
-12±5	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

- 6	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
7	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
-10	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

N(1520) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	0.55 to 0.65
$\Gamma_2 N\eta$	$(2.3 \pm 0.4) \times 10^{-3}$
$\Gamma_3 N\pi\pi$	40–50 %
$\Gamma_4 \Delta\pi$	15–25 %
$\Gamma_5 \Delta(1232)\pi$, S-wave	5–12 %
$\Gamma_6 \Delta(1232)\pi$, D-wave	10–14 %
$\Gamma_7 N\rho$	15–25 %
$\Gamma_8 N\rho$, S=1/2, D-wave	
$\Gamma_9 N\rho$, S=3/2, S-wave	
$\Gamma_{10} N\rho$, S=3/2, D-wave	
$\Gamma_{11} N(\pi\pi)_{S\text{-wave}}^{I=0}$	<8 %
$\Gamma_{12} p\gamma$	0.46–0.56 %
$\Gamma_{13} p\gamma$, helicity=1/2	0.001–0.034 %
$\Gamma_{14} p\gamma$, helicity=3/2	0.44–0.53 %
$\Gamma_{15} n\gamma$	0.30–0.53 %
$\Gamma_{16} n\gamma$, helicity=1/2	0.04–0.10 %
$\Gamma_{17} n\gamma$, helicity=3/2	0.25–0.45 %

N(1520) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ		
VALUE	DOCUMENT ID	TECN	COMMENT
0.55 to 0.65 OUR ESTIMATE			
0.632 \pm 0.001	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
0.59 \pm 0.03	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
0.58 \pm 0.03	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
0.54 \pm 0.03	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.58 \pm 0.08	THOMA	08	DPWA Multichannel
0.640 \pm 0.005	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
0.56 \pm 0.01	PENNER	02c	DPWA Multichannel
0.63 \pm 0.02	VRANA	00	DPWA Multichannel
0.61	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
0.46 \pm 0.06	BATINIC	95	DPWA $\pi N \rightarrow N\pi, N\eta$

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_2/Γ
0.0023±0.0004 OUR AVERAGE				
0.0023±0.0004	PENNER 02C	DPWA	Multichannel	
0.00 ±0.01	VRANA 00	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.002 ±0.001	THOMA 08	DPWA	Multichannel	
0.0008 to 0.0012	ARNDT 05	DPWA	Multichannel	
0.0008±0.0001	TIATOR 99	DPWA	$\gamma p \rightarrow p\eta$	
0.001 ±0.002	BATINIC 95	DPWA	$\pi N \rightarrow N\pi, N\eta$	

Note: Signs of couplings from $\pi N \rightarrow N\pi\pi$ analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the $\Delta(1620) S_{31}$ coupling to $\Delta(1232)\pi$.

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow \Delta(1232)\pi, S\text{-wave}$ $(\Gamma_1\Gamma_5)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT	$\Gamma_1\Gamma_5)^{1/2}/\Gamma$
-0.26 to -0.20 OUR ESTIMATE				
-0.18±0.05	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$	
-0.26	1,5 LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$	
-0.24	2 LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$	

 $\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_5/Γ
0.15±0.02	VRANA 00	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.12±0.04	THOMA 08	DPWA	Multichannel	

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow \Delta(1232)\pi, D\text{-wave}$ $(\Gamma_1\Gamma_6)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_6)^{1/2}/\Gamma$
-0.28 to -0.24 OUR ESTIMATE				
-0.29±0.03	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$	
-0.21	1,5 LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$	
-0.30	2 LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$	

 $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_6/Γ
0.11±0.02	VRANA 00	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.14±0.05	THOMA 08	DPWA	Multichannel	

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow N\rho, S=3/2, S\text{-wave}$ $(\Gamma_1\Gamma_9)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_9)^{1/2}/\Gamma$
-0.35 to -0.31 OUR ESTIMATE				
-0.35±0.03	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$	
-0.35	1,5 LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$	
-0.24	2 LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$	

$\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.09±0.01	VRANA 00	DPWA	Multichannel

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow N(1520) \rightarrow N(\pi\pi)^{I=0}_{S\text{-wave}} \quad (\Gamma_1 \Gamma_{11})^{1/2} / \Gamma$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.22 to -0.06 OUR ESTIMATE			
-0.13	1,5 LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
-0.17	2 LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

 $\Gamma(N(\pi\pi)^{I=0}_{S\text{-wave}})/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.01±0.01	VRANA 00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
<0.04	THOMA 08	DPWA	Multichannel

N(1520) PHOTON DECAY AMPLITUDES

Papers on γN amplitudes predating 1981 may be found in our 2006 edition,
Journal of Physics, G **33** 1 (2006).

 $N(1520) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.024±0.009 OUR ESTIMATE			
-0.028±0.002	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
-0.038±0.003	AHRENS 02	DPWA	$\gamma N \rightarrow \pi N$
-0.020±0.007	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
-0.028±0.014	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
-0.007±0.004	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.027	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
-0.003	PENNER 02D	DPWA	Multichannel
-0.052±0.010±0.007	⁶ MUKHOPAD... 98		$\gamma p \rightarrow \eta p$
-0.020±0.002	LI 93	IPWA	$\gamma N \rightarrow \pi N$
-0.012	WADA 84	DPWA	Compton scattering

 $N(1520) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.166±0.005 OUR ESTIMATE			
0.143±0.002	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
0.147±0.010	AHRENS 02	DPWA	$\gamma N \rightarrow \pi N$
0.167±0.005	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
0.156±0.022	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
0.168±0.013	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.161	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
0.151	PENNER 02D	DPWA	Multichannel
0.130±0.020±0.015	⁶ MUKHOPAD... 98		$\gamma p \rightarrow \eta p$
0.167±0.002	LI 93	IPWA	$\gamma N \rightarrow \pi N$
0.168	WADA 84	DPWA	Compton scattering

$N(1520) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.059±0.009 OUR ESTIMATE			
-0.048±0.008	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
-0.066±0.013	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
-0.067±0.004	FUJII 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.077	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
-0.084	PENNER 02D	DPWA	Multichannel
-0.058±0.003	LI 93	IPWA	$\gamma N \rightarrow \pi N$

 $N(1520) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.139±0.011 OUR ESTIMATE			
-0.140±0.010	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
-0.124±0.009	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
-0.158±0.003	FUJII 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.154	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
-0.159	PENNER 02D	DPWA	Multichannel
-0.131±0.003	LI 93	IPWA	$\gamma N \rightarrow \pi N$

 $N(1520)$ FOOTNOTES

¹ LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

² From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

³ See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

⁴ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

⁵ LONGACRE 77 considers this coupling to be well determined.

⁶ MUKHOPADHYAY 98 uses an effective Lagrangian approach to analyze η photoproduction data. The ratio of the $A_{3/2}$ and $A_{1/2}$ amplitudes is determined, with less model dependence than the amplitudes themselves, to be $A_{3/2}/A_{1/2} = -2.5 \pm 0.5 \pm 0.4$.

 $N(1520)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982). For very early references, see Reviews of Modern Physics **37** 633 (1965).

THOMA 08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL 07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER 07	PR C76 025211	M. Dugger <i>et al.</i>	(Jefferson Lab CLAS Collab.)
ARNDT 06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG 06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
ARNDT 05	PR C72 045202	R.A. Arndt <i>et al.</i>	(GWU, PNPI)
ARNDT 04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
AHRENS 02	PRL 88 232002	J. Ahrens <i>et al.</i>	(Mainz MAMI GDH/A2 Collab.)

PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
TIATOR	99	PR C60 035210	L. Tiator <i>et al.</i>	
MUKHOPAD...	98	PL B444 7	N.C. Mukhopadhyay, N. Mathur	
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
BATINIC	95	PR C51 2310	M. Batinic <i>et al.</i>	(BOSK, UCLA)
Also		PR C57 1004 (erratum)	M. Batinic <i>et al.</i>	
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
WADA	84	NP B247 313	Y. Wada <i>et al.</i>	(INUS)
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
FUJII	81	NP B187 53	K. Fujii <i>et al.</i>	(NAGO, OSAK)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)
LONGACRE	77	NP B122 493	R.S. Longacre, J. Dolbeau	(SACL) IJP
Also		NP B108 365	J. Dolbeau <i>et al.</i>	(SACL) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP
