

N(2000) F₁₅ $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$ Status: **

OMITTED FROM SUMMARY TABLE

Older results have been retained simply because there is little information at all about this possible state.

N(2000) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
≈ 2000 OUR ESTIMATE			
1817.7	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1903 ± 87	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
1882 ± 10	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
2025	AYED 76	IPWA	$\pi N \rightarrow \pi N$
1970	¹ LANGBEIN 73	IPWA	$\pi N \rightarrow \Sigma K$ (sol. 2)
2175	ALMEHED 72	IPWA	$\pi N \rightarrow \pi N$
1930	DEANS 72	MPWA	$\gamma p \rightarrow \Lambda K$ (sol. D)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1814	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$

N(2000) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
117.6	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
490 ± 310	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
95 ± 20	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
157	AYED 76	IPWA	$\pi N \rightarrow \pi N$
170	¹ LANGBEIN 73	IPWA	$\pi N \rightarrow \Sigma K$ (sol. 2)
150	ALMEHED 72	IPWA	$\pi N \rightarrow \pi N$
112	DEANS 72	MPWA	$\gamma p \rightarrow \Lambda K$ (sol. D)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
176	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$

N(2000) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1807	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			

1779 ARNDT 04 DPWA $\pi N \rightarrow \pi N, \eta N$

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
109	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			

248 ARNDT 04 DPWA $\pi N \rightarrow \pi N, \eta N$

N(2000) ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
60	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
47	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-67	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-61	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$

N(2000) DECAY MODES

Mode			
Γ_1	$N\pi$		
Γ_2	$N\eta$		
Γ_3	ΛK		
Γ_4	ΣK		
Γ_5	$N\pi\pi$		
Γ_6	$\Delta(1232)\pi$, P-wave		
Γ_7	$N\rho$, S=3/2, P-wave		
Γ_8	$N\rho$, S=3/2, F-wave		
Γ_9	$p\gamma$		

N(2000) BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$** **$\Gamma_1/\Gamma$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.127	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
0.08 ± 0.05	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
0.04 ± 0.02	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
0.08	AYED 76	IPWA	$\pi N \rightarrow \pi N$
0.25	ALMEHED 72	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.10	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2000) \rightarrow N\eta$ **$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.03	BAKER 79	DPWA	$\pi^- p \rightarrow n\eta$

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2000) \rightarrow \Lambda K$ **$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
not seen	SAXON 80	DPWA	$\pi^- p \rightarrow \Lambda K^0$

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(2000) \rightarrow \Sigma K$	$(\Gamma_1 \Gamma_4)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
0.022	² DEANS	75	DPWA $\pi N \rightarrow \Sigma K$
0.05	¹ LANGBEIN	73	IPWA $\pi N \rightarrow \Sigma K$ (sol. 2)
$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(2000) \rightarrow \Delta(1232)\pi, P\text{-wave}$	$(\Gamma_1 \Gamma_6)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$+0.10 \pm 0.06$	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$
$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(2000) \rightarrow N\rho, S=3/2, P\text{-wave}$	$(\Gamma_1 \Gamma_7)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
-0.22 ± 0.08	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$
$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(2000) \rightarrow N\rho, S=3/2, F\text{-wave}$	$(\Gamma_1 \Gamma_8)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$+0.11 \pm 0.06$	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$
$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $p\gamma \rightarrow N(2000) \rightarrow \Lambda K$	$(\Gamma_9 \Gamma_3)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
0.0022	DEANS	72	MPWA $\gamma p \rightarrow \Lambda K$ (sol. D)

N(2000) FOOTNOTES

¹ Not seen in solution 1 of LANGBEIN 73.

² Value given is from solution 1 of DEANS 75; not present in solutions 2, 3, or 4.

N(2000) REFERENCES

ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP (VPI)
Also		PR D30 904	D.M. Manley <i>et al.</i>	
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
BAKER	79	NP B156 93	R.D. Baker <i>et al.</i>	(RHEL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
AYED	76	Thesis CEA-N-1921	R. Ayed	(SACL) IJP
DEANS	75	NP B96 90	S.R. Deans <i>et al.</i>	(SFLA, ALAH) IJP
LANGBEIN	73	NP B53 251	W. Langbein, F. Wagner	(MUNI) IJP
ALMEHED	72	NP B40 157	S. Almehed, C. Lovelace	(LUND, RUTG) IJP
DEANS	72	PR D6 1906	S.R. Deans <i>et al.</i>	(SFLA) IJP